

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 1075.1122/JDH

First Named Inventor or Application Identifier:

Seishi SUEHIRA

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: **Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231**

1. ☒ Fee Transmittal Form
2. ☒ Specification, Claims & Abstract [Total Pages: 25]
3. ☒ Drawing(s) (35 USC 113) [Total Sheets: 5]
4. ☒ Oath or Declaration [Total Pages: 3]
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 17 completed)
 - i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation by Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

JC675 U.S. PTO
09/441074
11/16/99

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) [] Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement (IDS)/PTO-1449 [] Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☐ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. ☐ Small Entity Statement(s) [] Statement filed in prior application, status still proper and desired.
15. ☒ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☐ Other:

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

[] Continuation [] Divisional [] Continuation-in-part (CIP) of prior application No: ____ / ____

18. CORRESPONDENCE ADDRESS

STAAS & HALSEY LLP
Attn: James D. Halsey, Jr.
700 Eleventh Street, N.W., Suite 500
Washington, DC 20001

Telephone: (202) 434-1500
Facsimile: (202) 434-1501

TITLE OF THE INVENTION

STRUCTURED DOCUMENT PREPARATION METHOD
AND COMPUTER-READABLE RECORDING MEDIUM ON
WHICH A STRUCTURED DOCUMENT IS RECORDED

5

BACKGROUND OF THE INVENTION

1) Field of the Invention

This invention relates to a method of preparing a structured document such as, for example, an SGML (Standard Generalized Markup Language) document in accordance with a predetermined document type definition and a computer-readable recording medium on which a structured document is recorded.

10

2) Description of the Related Art

Generally, an SGML (Standard Generalized Markup Language) document which employs a text format to represent, as document contents, document data except layout information and some other information is known as a structured document.

15

The SGML document can define a logical structure of the document by applying a symbol (mark) called tag for identification of the structure of the document and is being spreading as a document of a standard language for storage/retrieval or exchange of a document.

20

The SGML document includes an SGML declaration which describes various references such as a type of a character code used in the document, a DTD (Document

25

Type Definition) which defines a mutual relationship between document elements, that is, a document structure, and a document instance which indicates contents of the document.

5 The DTD defines tags to be applied to elements (index, body, list and so forth) of the document and particularly includes element declarations which define elements of the document, relations of inclusion between the elements, an order in which the elements are arranged,
10 the numbers of times of appearance of the elements and so forth, attribute declarations which define attributes of the elements, entity declarations which declare methods of taking special characters, pictures and so forth into the document, and other necessary declarations. The DTD
15 can define memberships, an order of appearance, the numbers of times of appearance and so forth of the gaps in the form of a tree structure.

 In order to prepare an SGML document, a document structure for the SGML, that is, a DTD, is produced or
20 acquired first, and then a document instance which conforms with the DTD is produced.

 Where the preparation of an SGML document involves preparations of different SGML documents having different logical structures from each other, a DTD
25 suitable for a logical structure is produced or acquired for each of the logical structures.

 Here, examples of description of DTDs (element

declarations) for a table form layout and a hierarchical structure form layout as examples of a logical structure are described with reference to FIGS. 6 and 7. FIG. 6 shows an example of description of an element declaration of a DTD which defines a logical structure of the table form layout, and FIG. 7 shows an example of description of a factor declaration of a DTD which defines a logical structure of the hierarchical structure form layout.

An SGML document of the table form layout defined by such a DTD as shown in FIG. 6 is suitable for preparation and display of a table and is suitably applied, for example, to display a table as a template upon inputting of an SGML document so that a composer may describe contents in cells in accordance with the template and display the table on a display unit or print the table.

Meanwhile, an SGML document of the hierarchical structure form layout defined by such a DTD as shown in FIG. 7 is suitably applied, for example, to register the prepared document into an SGML database and retrieve desired information from within the database.

The DTD which defines a logical structure of the table form layout and the DTD which defines a logical structure of the hierarchical structure form layout have different structures from each other as seen from FIGS. 6 and 7, and a composer prepares an SGML document using a DTD which defines a logical structure suitable for an application of the SGML document. In short, the

composer produces or acquires a DTD corresponding to the type of the logical structure and prepares an SGML document based on the DTD.

5 In such a structured document preparation method as described above, however, if it is tried to use a document to a different application as an SGML document, then a DTD which defines a logical structure suitable for the application must be produced or acquired and then an SGML document must be prepared using the DTD.
10 Therefore, the structured document preparation method has a subject to be solved in that the operation mentioned is cumbersome and imposes a heavy burden to the composer.

15 For example, in order to display or print contents of a document as a table and besides register them into a database for later utilization, a DTD which defines a logical structure of the table form layout and another DTD which defines a logical structure of the hierarchical structure form layout must be produced and besides, for
20 each of the types of the logical structures, an SGML document having a DTD corresponding to the type of the logical structure must be prepared. In short, a number of SGML documents whose document contents are identical but whose DTDs are different from each other equal to the
25 number of types of logical structures (here, two) must be prepared.

Further, while an SGML document prepared is used,

it sometimes becomes necessary to edit the DTD of the SGML document such as to newly add a document element (tag) in order to augment the convenience of use of the SGML document. However, when a document element (tag) is to be newly added to a plurality of SGML documents prepared individually with different logical structures or in a like case, the DTDs of the SGML documents must be edited (addition of the new element) without a miss in order to unify the contents of the SGML documents for the object of management of the SGML documents. However, when the DTDs of the SGML documents are edited as described above, the composer of the SGML documents must take care so that no miss may occur in the editing. Therefore, the structured document preparation method has another subject to be solved in that the management imposes a heavy burden on the composer.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a structured document preparation method and a computer-readable recording medium with a structured document recorded thereon wherein a plurality of different logical structures can be defined with a single document type definition so that structured documents of a plurality of different logical structures can be prepared and managed readily.

In order to attain the object described above, according to an aspect of the present invention, there is provided a structured document preparation method for preparing a structured document in accordance with a predetermined document type definition, comprising the steps of describing, into the document type definition, a plurality of element declarations which respectively define a plurality of different logical structures and also a plurality of entity declarations which respectively designate the defined different logical structures, validating one of the described entity declarations to validate a corresponding one of the described element declarations, and preparing a structured document in the logical structure that is defined by the corresponding validated element declaration. In this instance, for each of the plurality of entity declarations, control information indicating whether the entity declaration is valid or invalid may be additionally described.

According to another aspect of the present invention, there is provided a computer-readable recording medium on which a structured document prepared in accordance with a predetermined document type definition is recorded, the structured document being recorded in a data file formed on the recording medium, the data file at least having a region in which the document type definition is recorded and another region in which contents of the document are recorded, a plurality of element declarations

which respectively define a plurality of different logical structures and a plurality of entity declarations which respectively designate the defined different logical structures being described in the region in which the document type definition is recorded, for each of the plurality of entity declarations, information which indicates whether the entity declaration is valid or invalid being additionally described.

With the structured document preparation method and the computer-readable recording medium, a document type definition can be used commonly for a plurality of structured documents having different logical structures from each other. Consequently, when a document type definition is edited or in a like case, otherwise possible occurrence of a miss of editing in the document type definition of some of structured documents can be eliminated, and a high reliability and quality of structured documents can be achieved. Further, by selectively determining a desired logical structure from among the plurality of logical structures, a structured document having the selected logical structure can be produced and managed readily, and consequently, the structured document preparation method and the computer-readable recording medium are advantageous in that a high working efficiency can be achieved.

The structured document preparation method and the computer-readable recording medium are further

advantageous in that a desired logical structure can be selected readily from among the plurality of logical structures to prepare a structured document and the working efficiency can be augmented.

5 The plurality of different logical structures may include a logical structure form layout and a table form layout. Where the construction just described is employed, a structured document having one of the logical structure form layout and the table form layout can be
10 prepared readily. Consequently, the structured document preparation method and the computer-readable recording medium are advantageous in that a high workability can be achieved when the structured document is displayed and/or printed as a table and
15 registered into a database for later utilization or in a like case.

 Further, the structured document may be a Standard Generalized Markup Language (SGML) document and the document type definition may be a Document Type
20 Definition (DTD) which defines a document structure of the SGML. Where the construction just described is employed, when the DTD of an SGML document is edited or in a like case, otherwise possible occurrence of a miss of editing in the DTD of some SGML document can be
25 eliminated, and a high reliability and quality of the SGML documents can be achieved. Further, since an SGML document having a desired logical structure selected from

among the plurality of logical structures can be prepared readily, the structured document preparation method and the computer-readable recording medium are advantageous in that a high working efficiency can be achieved.

The above and other objects, features and advantages of the present invention will become apparent from the following description and the appended claims, taken in conjunction with the accompanying drawings in which like parts or elements denoted by like reference symbols.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagrammatic view showing a structure of an SGML document prepared by a structured document preparation method according to an embodiment of the present invention;

FIG. 2 is a block diagram showing a construction of a system (computer system) to which the structured document preparation method of the present invention is applied;

FIG. 3 is a view showing an example of description of a DTD produced by the structured document preparation method of the embodiment of the present invention;

FIG. 4 is a view showing an example of description of a document type declaration of an SGML document prepared by the structured document preparation method

of the embodiment of the present invention;

FIG. 5 is a view illustrating an example of description of an entity declaration for setting the logical structure of an SGML document to be prepared by the structured document preparation method of the embodiment of the present invention to a table form layout;

FIG. 6 is a view illustrating an example of description of a DTD which defines a logical structure of an ordinary table form layout; and

FIG. 7 is a view illustrating an example of description of a DTD which defines a logical structure of an ordinary hierarchical structure form layout.

DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 1 shows a structure of an SGML document (structured document) prepared by a structured document preparation method according to an embodiment of the present invention, and FIG. 2 shows a construction of a system (computer system 10) to which the structured document preparation method of the present invention is applied.

Referring first to FIG. 2, the computer system 10 shown includes a CPU 11, a hard disk 12, a memory 13, an interface 14, a keyboard 15, a mouse 16, a display unit 17 and a bus 18 and produces an SGML (Standard Generalized Markup Language) which is a kind of

structured document.

The memory 13 is an area to be used for expansion of data and so forth when the CPU 11 performs various calculation processes, and is formed from a RAM (Random Access Memory) or a like element.

The interface 14 allows communication of data between the computer system 10 and an external apparatus and is formed from, for example, a communication port or the like.

The keyboard 15 and the mouse 16 are inputting apparatus through which a composer of an SGML document inputs a document, various instructions and so forth and performs selection and other necessary processing. The display unit 17 displays a result of calculation processing by the CPU 11, an SGML document being prepared and other necessary information.

The CPU 11 performs various calculation processes and a process of preparation of an SGML document using data stored in the hard disk 12 and the memory 13 in accordance with instructions inputted from the keyboard 15 and/or the mouse 16. The CPU 11 further controls the interface 14, the display unit 17 and so forth.

The hard disk (magnetic disk apparatus) 12 is used to store various data and so forth, and an SGML document 100 (refer to FIG. 1) prepared in such a manner as hereinafter described is recorded into a data file 1 which is a predetermined region formed on the hard disk 12. In

short, in the present embodiment, the hard disk 12 is a computer-readable recording medium on which the SGML document 100 is recorded.

It is to be noted that the SGML document 100 prepared in such a manner as shown in FIG. 1 can be recorded not only onto the hard disk 12 but also in a similar manner to some other recording medium such as a flexible disk, a CD-ROM, an optical disk, a magneto-optical disk or a magnetic tape and transported or stocked.

The SGML document 100 is a structured document prepared in accordance with a predetermined DTD (Document Type Definition). The SGML document 100 is recorded, for example, in the data file 1 formed on the hard disk 12 and includes an SGML declaration (not shown), a DTD 20, and a document instance (document contents) 30. In other words, the data file 1 at least includes a region in which the DTD 20 is recorded and another region in which the document instance 30 is recorded.

The SGML declaration describes types of character codes used in the document and various references with regard to whether or not an end tag can be omitted and so forth. The document instance 30 indicates contents of the document.

The DTD 20 defines the structure of the document and provides meanings to document structure elements

arbitrarily, and describes an order of appearance of the document structure elements, a hierarchical relationship among the document structure elements, numbers of repetitions of the document structure elements and other factors. The DTD 20 uses element declarations (ELEMENT statements) and entity declarations (ENTITY statements) to define elements which compose the document and mutual relationships of the elements, that is, hierarchical relationships and the referring relationships of the elements.

More specifically, the DTD 20 includes a document type declaration (described hereinafter) which declares what document type definition is used, element declarations EL1 to ELn which define a logical structure of the SGML document, and entity declarations EN1 to ENn for designating logical structures.

Though not shown in FIG. 1, the DTD 20 further describes information regarding minimization which indicates a manner of abbreviation or omission of a tag, attribute declarations (ATTLIST statements) which define attributes of the elements, notation declarations which define processes for data, marks which are instructions to a processing system for the SGML, remarks and so forth.

In the DTD 20 of the SGML document prepared by the present method, a plurality of (n: n is a natural number equal to or greater than 2) different element declarations EL1 to ELn which define n different logical

structures and n entity declaration EN1 to ENn for individually designating the plurality of different logical structures are described in a list. Further, control information I_i ($i = 1, 2, \dots, n$) indicating whether the entity declarations EN1 to ENn are individually valid or invalid is additionally described individually for the entity declaration EN1 to ENn.

FIG. 3 shows an example of description of the DTD 20 prepared by the structured document preparation method of the present embodiment, and FIG. 4 shows an example of description of a document type declaration in an SGML document prepared by the structured document preparation method.

A detailed example of the DTD 20 prepared by the structured document preparation method of the present embodiment is described below with reference to FIGS. 3 and 4. It is assumed here that two different logical structures including a hierarchical structure form layout and a table form layout are available, and it is required to prepare SGML documents with the two different logical structures.

Referring first to FIG. 3, the entity declarations EN1a and EN2a in the DTD 20 shown are entity declarations (ENTITY statements) for designating the different logical structures from each other. More particularly, the entity declaration EN1a declares an entity name "hierarchy", and the entity declaration EN2a

declares another entity name "table".

Further, either one of "INCLUDE" and "IGNORE" is described as control information I1a or I2a in each of the entity declarations EN1a and EN2a.

5 In particular, "INCLUDE" is described in the control information I1a of the entity declaration EN1a shown in FIG. 3. Consequently, the entity declaration EN1a declares the entity name "hierarchy" and declares (validates) with the control information I1a of "INCLUDE" 10 that the entity (element declaration EL2a) declared with the entity name "hierarchy" is valid.

Meanwhile, "IGNORE" is described in the control information I2a of the entity declaration EN2a. Consequently, the entity declaration EN2a declares the 15 entity name "table" and declares (invalidates) with the control information I2a of "IGNORE" that the entity (element declaration EL1a) declared with the entity name "table" is invalid.

20 The element declaration EL1a defines an entity declared with the entity name "table" (ELEMENT statement). More particularly, the element declaration EL1a defines an entity declared with the entity name "table" so that it may have a logical structure of the table form layout.

25 Meanwhile, the element declaration EL2a defines an entity declared with the entity name "hierarchy" (ELEMENT statement). More particularly, the element

declaration EL2a defines an entity declared with the entity name "hierarchy" so that it may have a logical structure of the hierarchical structure form layout.

FIG. 5 shows an example of description of the entity declarations EN1a and EN2a for making an SGML document to be prepared by the structured document preparation method of the present embodiment have a logical structure of the table form layout. Referring to FIG. 5, "IGNORE" is described in the control information I1a of one of the entity declarations EN1a and EN2a shown, that is, in the control information I1a of the entity declaration EN1a, so that the entity declared with the entity name "hierarchy" (the element declaration EL2a: refer to FIG. 3) is invalidated. Further, "INCLUDE" is described in the control information I2a of the entity declaration EN2a so that the entity declared with the entity name "table" (the element declaration EL1a: refer to FIG. 3) is validated.

In short, the logical structure of the SGML document can be set to the table form layout by rewriting the control information I1a and I2a of the entity declarations EN1a and EN2a shown in FIG. 3 to that shown in FIG. 5.

For such rewriting of control information, for example, such a document type declaration as shown in FIG. 4 is used.

The document type declaration 40 shown in FIG. 4

includes entity declarations EN1a and EN2a similar to the entity declarations EN1a and EN2a shown in FIG. 3, respectively. Further, control information I1a and I2a is additionally described for the entity declarations EN1a and EN2a, respectively.

Thus, by using the document type declaration 40 shown in FIG. 4 as the document type declaration for the SGML document and describing "INCLUDE" in one of the control information I1a and I2a (in FIG. 4, in the control information I1a) while "IGNORE" is described in the other of the control information I1a and I2a (in FIG. 4, in the control information I2a), one of an entity declared with the entity name "hierarchy" and another entity declared with the entity name "table" can be validated.

Thus, a composer will observe a display on the display unit 17 and use the keyboard 15 and/or the mouse 16 to describe, in the DTD 20, an element declaration EL1a which defines a logical structure of the table form layout and an element declaration EL2a which defines a logical structure of the hierarchical structure form layout as well as entity declarations EN1a and EN2a for designating the element declarations EL1a and EL2a, respectively, in a list as seen in FIG. 3.

Then, the composer will set "INCLUDE" to the control information I1a (I2a) of one of the entity declarations EN1a and EN2a and set "IGNORE" to the other control information I2a (I1a). For example, the

composer will set "INCLUDE" to the control information I1a of the entity declaration EN1a and set "IGNORE" to the control information I2a of the entity declaration EN2a as seen in FIG. 3 to set the logical structure of the SGML document 100 to the hierarchical structure form layout.

The composer may rewrite the control information I1a and I2a of the entity declarations EN1a and EN2a shown in FIG. 3 to that shown in FIG. 5 to set the logical structure of the SGML document 100 to the table form layout.

In this manner, with the structured document preparation method of the embodiment of the present invention, by describing, in the DTD 20, an element declaration EL1a which defines a logical structure of the table form layout and another element declaration EL2a which defines a logical structure of the hierarchical structure form layout as well as entity declarations EN1a and EN2a for designating the element declarations EL1a and EL2a, respectively, in a list and further by setting "INCLUDE" to the control information I1a (I2a) of one of the entity declarations EN1a and EN2a and setting "IGNORE" to the other control information I2a (I1a), an SGML document having one of logical structures of the hierarchical structure form layout and the table form layout can be prepared readily. Consequently, the structured document preparation method of the embodiment of the present invention is advantageous in

that an operation of displaying or printing the prepared SGML document and/or registering the SGML document into a database for later utilization and so forth can be performed with a high workability. Further, since a
5 desired logical structure can be selectively determined from between the two different logical structures and an SGML document 100 having the selected logical structure can be prepared readily and besides such SGML documents can be prepared and managed readily, the
10 structured document preparation method of the embodiment of the present invention is advantageous also in that the working efficiency can be augmented.

Further, since a common DTD 20 can be used for SGML documents of a plurality of different logical
15 structures, for example, for an SGML document 100 having a logical structure of the hierarchical structure form layout and another SGML document 100 having another logical structure of the table form layout, also when the DTD 20 is edited such as when a new document
20 element (tag) is added in order to promote the convenience of use, it is required to only edit the DTD 20. Consequently, an otherwise possible miss as in editing of a DTD of an ordinary SGML document can be eliminated, and accordingly, the reliability and the quality of an SGML
25 document can be augmented. Besides, the burden to a composer and so forth in management of an SGML document can be reduced.

It is to be noted that the present invention is not limited to the embodiment specifically described above, and variations and modifications can be made without departing from the scope of the present invention.

5 For example, while the foregoing description of the structured document preparation method of the embodiment is given in connection with the hierarchical structure form layout and the table form layout as a plurality of different logical structures, the present
10 invention is not limited to this, but can be applied similarly as in the embodiment described above to any other case wherein SGML documents (structured documents) of the identical contents must be produced with various logical structures. Also in this instance,
15 similar advantages to those of the embodiment can be achieved.

 Further, while the foregoing description of the structured document preparation method of the embodiment is given in connection with the case wherein
20 the structured document is an SGML document, the present invention is not limited to this, but can be applied similarly as in the embodiment described above to any other structured document such as, for example, an XML (Extended Markup Language). Also in this instance,
25 similar advantages to those of the embodiment can be achieved.

WHAT IS CLAIMED IS:

1 1. A structured document preparation method for
2 preparing a structured document in accordance with a
3 predetermined document type definition, comprising the
4 steps of:

5 describing, into the document type definition, a
6 plurality of element declarations which respectively define
7 a plurality of different logical structures and also a
8 plurality of entity declarations which respectively
9 designate the defined different logical structures;

10 validating one of the described entity declarations
11 to validate a corresponding one of the described element
12 declarations; and

13 preparing a structured document in said one logical
14 structure that is defined by said corresponding validated
15 element declaration.

1 2. A structured document preparation method as
2 claimed in claim 1, wherein, for each of the plurality of
3 entity declarations, control information indicating
4 whether the entity declaration is valid or invalid is
5 additionally described.

1 3. A structured document preparation method as
2 claimed in claim 1, wherein the plurality of different
3 logical structures include a logical structure form layout

4 and a table form layout.

1 4. A structured document preparation method as
2 claimed in claim 2, wherein the plurality of different
3 logical structures include a logical structure form layout
4 and a table form layout.

1 5. A structured document preparation method as
2 claimed in claim 1, wherein the structured document is a
3 Standard Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

1 6. A structured document preparation method as
2 claimed in claim 2, wherein the structured document is a
3 Standard Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

1 7. A structured document preparation method as
2 claimed in claim 3, wherein the structured document is a
3 Standard Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

1 8. A structured document preparation method as
2 claimed in claim 4, wherein the structured document is a
3 Standard Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

1 9. A computer-readable recording medium on which a
2 structured document prepared in accordance with a
3 predetermined document type definition is recorded;

4 the structured document being recorded in a data
5 file formed on said recording medium;

6 the data file at least having a region in which the
7 document type definition is recorded and another region
8 in which contents of the document are recorded;

9 a plurality of element declarations which
10 respectively define a plurality of different logical
11 structures and a plurality of entity declarations which
12 respectively designate the defined different logical
13 structures being described in the region in which the
14 document type definition is recorded;

15 for each of the plurality of entity declarations,
16 information which indicates whether the entity
17 declaration is valid or invalid being additionally
18 described.

1 10. A computer-readable recording medium as claimed
2 in claim 9, wherein the plurality of different logical
3 structures include a logical structure form layout and a
4 table form layout.

1 11. A computer-readable recording medium as claimed
2 in claim 9, wherein the structured document is a Standard
3 Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

1 12. A computer-readable recording medium as claimed
2 in claim 10, wherein the structured document is a
3 Standard Generalized Markup Language document and the
4 document type definition is a Document Type Definition
5 which defines a document structure of the Standard
6 Generalized Markup Language.

ABSTRACT OF THE DISCLOSURE

The invention provides a structured document preparation method wherein a plurality of different logical structures can be defined with a single document type definition so that structured documents of a plurality of logical structures can be prepared and managed readily. A plurality of element declarations which respectively define a plurality of different logical structures and also a plurality of entity declarations which respectively designate the defined different logical structures are described into a document type definition, and one of the plurality of entity declarations is validated to validate a corresponding one of the plurality of element declarations. Then, a structured document is prepared with the logical structure defined by the validated element declaration.

FIG.1




FIG.2




FIG. 3




FIG. 4

```
<!DOCTYPE card system "example. dtd" [  
EN1a → <!ENTITY % hierarchy "IGNORE">  
EN2a → <!ENTITY % table "INCLUDE"> I1a  
I2a  
>  
40
```

FIG. 5

```
EN1a → <!ENTITY % hierarchy "IGNORE"> I1a  
EN2a → <!ENTITY % table "INCLUDE"> I2a  
<!-- DIAGNOSIS CHART IS REGARDED  
AS OF HIERARCHICAL STRUCTURE.  
INVALID AT PRESENT-->  
<!-- DIAGNOSIS CHART IS REGARDED  
AS OF TABLE FORM.  
VALID AT PRESENT-->
```

FIG. 6

RELATED ART

```
<![ %table; [  
<!ELEMENT row O O (a1?, a2?, a3?, a4?, a5?, a6?, a7?)>  
<!ELEMENT (a1 | a2 | a3 | a4) -O (name?, topic*)> ) >  
<!ELEMENT a5 -O (#PCDATA) >  
]]>
```

FIG. 7

RELATED ART

```
<![ %hierarchy; [  
<!ELEMENT D -O (colspec*, head (a1+ | a4+))>  
]]>
```

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application**特許出願宣言書及び委任状****Japanese Language Declaration****日本語宣言書**

下の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

STRUCTURED DOCUMENT PREPARATION METHOD
AND COMPUTER-READABLE RECORDING MEDIUM
ON WHICH A STRUCTURED DOCUMENT IS
RECORDED

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

the specification of which is attached hereto unless the following box is checked:

☐ 月 日に提出され、米国出願番号または特許協定条約
国際出願番号を _____ とし、
(該当する場合) _____ に訂正されました。☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).私は、特許請求範囲を含む上記訂正後の明細書を検討し、
内容を理解していることをここに表明します。I hereby state that I have reviewed and understand the contents of
the above identified specification, including the claims, as
amended by any amendment referred to above.私は、連邦規則法典第37編第1条56項に定義されると
おり、特許資格の有無について重要な情報を開示する義務が
あることを認めます。I acknowledge the duty to disclose information which is material to
patentability as defined in Title 37, Code of Federal Regulations,
Section 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration
(日本語宣言書)

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Patent Application
Prior Foreign Application(s)

外国での先行出願

No. HEI 11-141174

(Number)
(番号)

Japan

(Country)
(国名)(Number)
(番号)(Country)
(国名)

私は、第35編米国法典119条(e)項に基づいて下記の米国外の特許出願規定に記載された権利をここに主張いたします。

(Application No.)
(出願番号)(Filing Date)
(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国外の特許出願に記載された権利、又は米国外を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国外の特許出願に開示されていない限り、その先行米国外出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.)
(出願番号)(Filing Date)
(出願日)(Application No.)
(出願番号)(Filing Date)
(出願日)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づき表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の表明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed
優先権主張なし

21/05/1999

(Day/Month/Year Filed)
(出願年月日)(Day/Month/Year Filed)
(出願年月日)

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)(Filing Date)
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration

(日本語宣言書)

委任状： 私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。(弁護士、または代理人の氏名及び登録番号を明記のこと)

James D. Halsey, Jr., 22,729; Harry John Staas, 22,010; David M. Pitcher, 25,908; John C. Garvey, 28,607; J. Randall Beckers, 30,358; William F. Herbert, 31,024; Richard A. Gollhofer, 31,106; Mark J. Henry, 36,162; Gene M. Garner II, 34,172; Michael D. Stein, 37,240; Paul I. Kravetz, 35,230; Gerald P. Joyce, III, 37,648; Todd E. Marlette, 35,269; Harlan B. Williams, Jr., 34,756; George N. Stevens, 36,938; Michael C. Soldner, 41,455; Norman L. Ourada, 41,235; Kevin R. Spivak, P-43,148; and William M. Schertler, 35,348 (agent)

書類送付先

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

Send Correspondence to:

STAAS & HALSEY
700 Eleventh Street, N.W.
Suite 500
Washington, D.C. 20001

直接電話連絡先： (名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

STAAS & HALSEY
(202) 434-1500

唯一または第一発明者名	Full name of sole or first inventor		
	Seishi SUEHIRA		
発明者の署名	日付	Inventor's signature	Date
		Seishi Suehira	November 2, 1999
住所	Residence		
	Kawasaki-shi, Kanagawa, Japan		
国籍	Citizenship		
	Japanese		
私書箱	Post Office Address		
	c/o FUJITSU LIMITED, 1-1, Kamikodanaka		
	4-chome, Nakahara-ku, Kawasaki-shi,		
	Kanagawa 211-8588 Japan		
第二共同発明者	Full name of second joint inventor, if any		
第二共同発明者	日付	Second inventor's signature	Date
住所	Residence		
国籍	Citizenship		
私書箱	Post Office Address		

(第三以降の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors.)